

“Trust in the Power of the Legend”

DRAGON FORCE

Hydraulic Rescue Tools by AOLAI



DRAGON FORCE

Hydraulic Rescue Tools by AOLAI



FBRC-39/220 Hydraulic Cutter is ideal for cutting most common materials found in road rescue, building collapse and earthquake disasters. Its powerful jaw produces 39 Tons of cutting force.



BRC-39/150 Medium Rescue Cutter is ideal for cutting most common materials found in road rescue, building collapse and earthquake disasters. Its powerful parrot beak jaws produce 39 tons of cutting force with a 150mm opening.

SRPC-60 Small Rescue Pedal Cutter is ideal for cutting foot controls in vehicles and reinforcing bars used in construction. This unique tool has a rotating cutting head allowing access into tight and confined spaces, such as vehicle foot wells.



BRS-12/650 Rescue Spreader is used for spreading pulling and crushing. The tool's ergonomic design and safety features provide excellent balance and functional tool control.

"Quality and Innovative Fire and Rescue Equipment"



BRT Fire and Rescue Supplies
Phone (07) 3287 5504
Fax (07) 3287 5505

For further information contact
Email: asktheteam@bigredtruck.com.au
Web: www.bigredtruck.com.au

facebook



DRAGON FORCE

Hydraulic Rescue Tools by AOLAI

BRCT-32/350 Combination Tool is used for spreading, cutting, pulling and crushing. The tools multi-purpose capability is ideal for rapid entry and basic rescue sets. Cutting force is 32.5 ton with a spreading force of 6 ton.



BRCT-30/160

Manual Combination Tool is a hand operated combination tool that can be used for spreading, cutting, pulling and crushing without the need of a motorized pump set or batteries. The tools lightweight ergonomic design and safety features provide excellent balance and ergonomically functional tool control.



Model	FBRC39/220	BRCT-30/160
Max Opening Distance of Blades	$\geq 220\text{mm}$	160mm
Rated Working Pressure	63MPa (630bar)	-
Maximum Spreading Force	6 Tons	6 Tons
Max Cutting Capacity (Q235s- teel)	15mm (steel plate) $\phi 28\text{mm}$ (circle steel)	$\phi 28\text{mm}$ (circle steel)
Cutting Force	39 Tons	30 Tons
Opening Time without Load (Powered by Motor Pump)	$\leq 25\text{s}$	-
Closing Time without Load (Powered by Motor Pump)	$\leq 30\text{s}$	-
Weight (Working Condition)	$\leq 13\text{kg}$	10kg
Dimensions (L x W x H)	700mm x 210mm x 165mm	735mm x 212mm x 146mm

"Quality and Innovative Fire and Rescue Equipment"



BRT Fire and Rescue Supplies
Phone (07) 3287 5504
Fax (07) 3287 5505

For further information contact
Email: asktheteam@bigredtruck.com.au
Web: www.bigredtruck.com.au





DRAGON FORCE

Hydraulic Rescue Tools by AOLAI

Rescue Ram - Small SRR-12/180



Model	SRR-12/180
Extensions	100mm / 175mm / 275mm
Lifting Force	12 Tons
Closed Length	350mm
Extended Length	530mm
Weight	10kg
Dimensions (L x W x H)	350mm x 260mm x 90mm

Rescue Ram - Medium MRR-12/360



Model	MRR-12/360
Extensions	100mm / 175mm / 275mm
Lifting Force	12 Tons
Closed Length	500mm
Extended Length	860mm
Weight	11.3kg
Dimensions (L x W x H)	500mm x 185mm x 97mm

Telescopic Ram TRR-10/600

Model	TRR-10/600
First Stage Lifting Force	20 Tons
Second Stage Lifting Force	10 Tons
Closed Length	465mm
Extended Length	1055mm
Weight	14.5kg
Dimensions (L x W x H)	465mm x 200mm x 110mm



"Quality and Innovative Fire and Rescue Equipment"



BRT Fire and Rescue Supplies
Phone (07) 3287 5504
Fax (07) 3287 5505

For further information contact
Email: asktheteam@bigredtruck.com.au
Web: www.bigredtruck.com.au





DRAGON FORCE

Hydraulic Rescue Tools by AOLAI

The **Rescue Pump** can simultaneously operate two rescue tools at the same time. Powered by a Japanese Honda GX100 Engine this pump is lightweight, reliable and quiet, delivering outstanding performance.

Model	BRHP-3HP
Rated Output Flow (High Flow)	0.66L/min x 2
Rated Output Flow (Low Flow)	2.0L/min x 2
Rated Output Pressure	630bar
Hydraulic Pump	2 Stage Radial Piston
Motor	Honda GX100 3hp (Japanese)
Weight	27kg
Dimensions (L x W x H)	390mm x 340mm x 460mm



Micro Rescue Pump uses powerful 2 stage radial pistons to connect to single tool. Weighing only 14kgs this pump is suitable for high rise forcible entry and transportation in lightweight aircraft.

Model	MRHP
Rated Output Flow (High Flow)	0.7L/min x 2
Rated Output Flow (Low Flow)	1.7/min x 2
Rated Output Pressure	630bar
Motor	Honda GX50 (Japanese)
Weight	14kg
Dimensions (L x W x H)	320mm x 270mm x 390mm



"Quality and Innovative Fire and Rescue Equipment"



BRT Fire and Rescue Supplies
Phone (07) 3287 5504
Fax (07) 3287 5505

For further information contact
Email: asktheteam@bigredtruck.com.au
Web: www.bigredtruck.com.au





More Tools Coming Soon...

DRAGON FORCE

Hydraulic Rescue Tools by AOLA