

pharobit

GCF-200

Search & Rescue Tactical Flashlight



Flash Light



FULL HD



E-Compass



PC-Viewer



Waterproof



Night Vision

“Quality and Innovative Fire and Rescue Equipment”



WWW.BIGREDTRUCK.COM.AU



GPS / E-



Full HD Video Camera



1.5" TFT LCD Display

Night vision



WWW.BIGREDTR

Compass



- **1000 Lumen LED Torch**
- **Electronic GPS / Compass**
- **Full HD Video Recorder**
- **Night Vision**
- **Waterproof to 100m**

Waterproof



LED Flashlight



pharobit

SPECIFICATION

Image Sensor	5M Pixel Color CMOS Sensor
LED Lamp	SSC P7 LED
Display	1.5" TFT LCD
GPS	SiRF Star IV High Performance GPS Chipset
Night-Vision	Auto Digital IR-Cut Shift Module (6EA 850nm IR LED)
Waterproof	IP 68 (Max 100M)
E- Compass	Magnetic Sensor Type
Control Switch	Twin Power & Recording Magnetic Rotary Switch
Housing	Aircraft Aluminum 6061 T6 , Hard Anodizing heat treatment , Pyrex Lens
White Balance	Auto
Recording Frame Rate	1920×1080 (30fps) , 1280×720 (30fps) , 848 ×480 (60fps) , 640 × 480 (30fps)
Image Resolution	4000×3000 , 3200×2400 , 2592x1944 , 2048x1536
Voice Recording	HQ AAC INCORDER (In the Water Cannot be Recorded)
LED Lamp Life (white)	SSC P7 Provide More than 100,000 Hours of Trouble Free Life. Max 900 Lm (Visual Distance 300m)
Brightness	2-Levels of Brightness and SOS Signal
OSD and System Menu Display	Include Monitoring Viewfinder
OSD Language Display	Korean, English, Chinese, etc.
Recording Media	TF Card, Max 32GB (Max 16Hr)
Interface	USB , MINI HDMI , TF Card slot
Battery Operable	2 x 18650 LI-ION Battery
Battery Run Time(MAX)	4.5 Hours Flashlight Only. - 3.5 Hours (Camera and Flashlight)
Size & Weight	375mm x 80mm(Max Diameter), 980g (Without Battery)

Recording Time / Memory card & Using Time / Brightness

Frame		640 × 480(30FPS)	848 × 480(60FPS)	1280 × 720(30FPS)	1920 × 1080(30FPS)
Recording(Min.)	8GB	259	148	129	86
	16GB	504	296	258	172
Brightness		100%	50%	SOS	
Hours		2	5	-	



Size - 375mm x 80mm
Weight - 0.98 Kg