




Intrinsically Safe Polymer Flashlights

These non-rechargeable flashlights are cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present. They each use a CREE® LED rated at 140 lumens that works in conjunction with a high-efficiency deep parabolic reflector to create a usable flashlight beam rated at 180 meters. The single body switch provides momentary or constant-on functionality. Power comes from 3 AA premium batteries (not included).

INTRINSICALLY SAFE



XPP-5420G



140 Lumens

- cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present.
- Beam distance rated at 180 meters
- Engineered polymer housing



XPP-5420B

XPP 5420 series



Intrinsically Safe Polymer Flashlights



XPP-5420B

FEATURES

- CREE® LED technology – 50,000 + hours LED life
- Momentary or constant-on flashlight
- Sharp focused beam for distance illumination
- Engineered polymer housing
- Non-slip grip
- Single body switch
- Waterproof
- Impact & chemical resistant
- Built-in pocket/belt clip
- Includes removable lanyard
- Requires 3 AA batteries (not included)
- Available in black & green
- Limited Lifetime Warranty*

SPECIFICATIONS

- Lumens: 140
- Run-time: 14 hrs
- Beam distance: 180 meters
- Water rating: IP-X7 waterproof
- Drop rating: 2 meters
- Length: 7in, head diameter: 1.8in, handle diameter: 1.5 x 1.1in, weight: 7.3oz

**INCLUDED**

- Flashlight with built-in pocket/belt clip
- Removable lanyard

SAFETY RATING

cETLus, ATEX, IECEx and MSHA listed Intrinsically Safe Permissible for use in both above and below ground hazardous locations where explosive gases and dusts may be present

Patent 7,738,229



High-efficiency deep parabolic reflector

Bayco Products, Inc.

Permissible Nightstick 5420 Flashlight/Floodlight



APPROVAL No. 20-A130001-0

TESTED FOR INTRINSIC SAFETY IN METHANE-AIR MIXTURES ONLY

WARRANTS

- 1) MSDS approved for use with three AA Duracell Type PC1300, Energizer Type EM91, and Energizer Type LR1 batteries only.
- 2) Replace the batteries in fresh air only and replace all batteries at the same time. Do not mix batteries from different manufacturers or of different types.
- 3) Energizer Lithium (Type LR1) batteries are to be replaced by a qualified technician only.
- 4) The Model M400000 (SAC) must not be present in areas where permeability is required.

[illegible]

Certified by:
 AMBA and EQUIS (Association
 of MBAs) and AACSB (Association
 of American Colleges and
 Universities)

Model	UPC 0 17398
XPP-5420G	80091 4
XPP-5420B	80092 1



*Limited Lifetime Warranty • Product is warranted to be free from defects in workmanship and materials for the lifetime of the original owner. Includes the LEDs, housing, lenses, electronics and switches. Batteries, normal wear and abuse are excluded.



WWW.BIGREDTRUCK.COM.AU

